CLAIMS

SUB AIT

A data storage medium for recording and reproducing a file managed using a volume/file structure where a number of data recording operations to a same area is limited, characterized in that

start address information for an unrecorded area existing in a volume space is recorded in the volume space as part of root directory file management information.

10

5

2. A data storage medium as described in claim 1, wherein said start address information is recorded using an indirect entry for managing a root directory file recording area.

15

3. A data storage medium for recording and reproducing a file managed using a volume/file structure where a number of data recording operations to a same area is limited, characterized in that

20

invalid data not used for retrieving volume/file structure is recorded added before and after volume/file structure and a data file; and

invalid extent management information for managing an invalid data recording area is recorded in the volume space as part of root directory file management information.

A data storage medium as described in claim 3, wherein invalid extent management information is recorded using an allocation descriptor for managing a root directory file recording area.

5

A data storage medium for recording and reproducing a file managed using a volume/file structure where a number of data recording operations to a same area is limited, characterized in that

10

root directory file management information is plurally recorded as main chaining information and reserve chaining information;

15

address information of an area where main chaining information and reserve chaining information are recorded at a beginning of a volume space is recorded as part of a file set descriptor; and

address information of an area where main chaining information and reserve chaining information is update recorded is recorded as part of main chaining information and reserve chaining information.

20

A data recording method for performing a formatting process on a data storage medium for recording and reproducing a file managed using a volume/file structure where a number of data recording operations to a same area is limited, comprising:

15

a chaining information recording step for recording start address information for an unrecorded area existing in a volume space as part of root directory file management information.

- 5 7. A data recording method as described in claim 6, wherein the chaining information recording step records start address information for an unrecorded area using an indirect entry for managing a root directory file recording area.
 - 8. A data recording method for performing a formatting process on a data storage medium for recording and reproducing a file managed using a volume/file structure where a number of data recording operations to a same area is limited, comprising:

a chaining information recording step for recording invalid data not used for retrieving volume/file structure added before and after volume/file structure and a data file, and

recording invalid extent management information for managing an invalid data recording area as part of root directory file management information.

20

9. A data recording method as described in claim 8, wherein the chaining information recording step records invalid extent management information using an indirect entry for managing a root directory file recording area.

A data recording method for performing a formatting process on a data storage medium for recording and reproducing a file managed using a volume/file structure where a number of data recording operations to a same area is limited, comprising:

5

a file set information recording step for recording as part of a file set descriptor address information for an area where main chaining information and reserve chaining information are recorded at a beginning of a volume space; and

10

a chaining information recording step for plurally recording main chaining information and reserve chaining information having address information of an area where root directory file management information and main chaining information and reserve chaining information are update recorded.

15

A data recording apparatus for performing a formatting process on a data storage medium for recording and reproducing a file managed using a volume/file structure where a number of data recording operations to a same area is limited, comprising:

20

a chaining information recording means for recording start address information for an unrecorded area existing in a volume space as part of root directory file management information.

25

12. A data recording apparatus as described in claim 11, wherein the chaining information recording means records start address information for an unrecorded area using an indirect entry

10

15

20.

for managing a root directory file recording area.

A data recording apparatus for performing a formatting process on a data storage medium for recording and reproducing a file managed using a volume/file structure where a number of data recording operations to a same area is limited, comprising:

a chaining information recording means for recording invalid data not used for retrieving volume/file structure added before and after volume/file structure and a data file, and

recording invalid extent management information for managing an invalid data recording area as part of root directory file management information.

- 14. A data recording apparatus as described in claim 13, wherein the chaining information recording means records invalid extent management information using an indirect entry for managing a root directory file recording area.
- A data recording apparatus for performing a formatting process on a data storage medium for recording and reproducing a file managed using a volume/file structure where a number of data recording operations to a same area is limited, comprising:

a file set information recording mean's for recording as part of a file set descriptor address information for an area where main chaining information and reserve chaining information are

10

15

recorded at a beginning of a volume space; and

a chaining information recording means for plurally recording main chaining information and reserve chaining information having address information of an area where root directory file management information and main chaining information and reserve chaining information are update recorded.

A data recording method for performing a file recording process on a data storage medium for recording and reproducing a file managed using a volume/file structure where a number of data recording operations to a same area is limited, comprising:

a chaining information recording step for recording start address information for an unrecorded area existing in a volume space as part of root directory file management information.

17. A data recording method as described in claim 16, wherein the chaining information recording step records start address information for an unrecorded area using an indirect entry for managing a root directory file recording area.

20

- A data recording method for performing a file recording process on a data storage medium for recording and reproducing a file managed using a volume/file structure where a number of data recording operations to a same area is limited, comprising:
 - a chaining information recording step for recording

invalid data not used for retrieving volume/file structure added before and after volume/file structure and a data file, and

recording invalid extent management information for managing an invalid data recording area as part of root directory file management information.

- 19. A data recording method as described in claim 18, wherein the chaining information recording step records invalid extent management information using an indirect entry for managing a root directory file recording area.
- A data recording method for performing a file recording process on a data storage medium for recording and reproducing a file managed using a volume/file structure where a number of data recording operations to a same area is limited, comprising:

a file set information reproducing step for reproducing address information of an area where main chaining information and reserve chaining information are recorded at a beginning of a volume space using a file set descriptor;

- a chaining information recording step for reproducing, using main chaining information or reserve chaining information, following main chaining information or reserve chaining information, or root directory file management information; and
- a chaining information recording step for plurally recording main chaining information and reserve chaining

15

10

5

25

information having address information of an area where root directory file management information and main chaining information are update recorded.

21. A data recording apparatus for performing a file recording process on a data storage medium for recording and reproducing a file managed using a volume/file structure where a number of data recording operations to a same area is limited, comprising:

a chaining information recording means for recording start address information for an unrecorded area existing in a volume space as part of root directory file management information.

- A data recording apparatus as described in claim 21, wherein the chaining information recording means records start address information for an unrecorded area using an indirect entry for managing a root directory file recording area.
- A data recording apparatus for performing a file recording process on a data storage medium for recording and reproducing a file managed using a volume/file structure where a number of data recording operations to a same area is limited, comprising:
- a chaining information recording means for recording invalid data not used for retrieving volume/file structure added

10

5

15

20

before and after volume/file structure and a data file, and
recording invalid extent management information
for managing an invalid data recording area as part of root
directory file management information.

5

A data recording apparatus as described in claim 23, wherein the chaining information recording means records invalid extent management information using an indirect entry for managing a root directory file recording area.

10

A data recording apparatus for performing a file recording process on a data storage medium for recording and reproducing a file managed using a volume/file structure where a number of data recording operations to a same area is limited, comprising:

15

a file set information reproducing means for reproducing address information of an area where main chaining information and reserve chaining information are recorded at a beginning of a volume space using a file set descriptor;

20

a chaining information recording means for reproducing, using main chaining information or reserve chaining information, following main chaining information or reserve chaining information, or root directory file management information; and

25

a chaining information recording means for plurally recording main chaining information and reserve chaining

10

15

20

25

information having address information of an area where root directory file management information and main chaining information and reserve chaining information are update recorded

26. A data reproducing method for performing a file reproducing process from a data storage medium for recording and reproducing a file managed using a volume/file structure where a number of data recording operations to a same area is limited, comprising:

a file set information reproducing step for reproducing address information for an area where main chaining information and reserve chaining information are recorded at a beginning of a volume space using a file set descriptor; and

a chaining information recording step for reproducing, using main chaining information or reserve chaining information, following main chaining information or reserve chaining information, or root directory file management information.

A data reproducing apparatus for performing a file reproducing process from a data storage medium for recording and reproducing a file managed using a volume/file structure where a number of data recording operations to a same area is limited, comprising:

a file set information reproducing means for reproducing address information for an area where main chaining

information and reserve chaining information are recorded at a beginning of a volume space using a file set descriptor; and a chaining information recording means for reproducing, using main chaining information or reserve chaining information, following main chaining information or reserve chaining information, or root directory file management information.